

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1-3. (Canceled)

4. (Currently Amended) A method of inhibiting photoaging in a subject in need thereof, comprising the step of applying onto the skin a composition comprising one or a plurality of crude drugs, ~~present in the amount of 0.0001 to 20.0 by mass % as a dry substance based on the total weight of the composition~~, selected from the group consisting of da zao (*Zizyphus jujuba* Miller var. *inermis* Rehder) extract, ginseng (*Panax ginseng* C. A. Meyer) extract, roman chamomile (*Anthemis nobilis* Linne) extract, chlorella (*Chlorella vulgaris* Chick) extract, coicis semen (*Coix lacryma-jobi* Linne var. *ma-yuen* Stapf) extract, and silk (*Bombyx mori* Linnaeus) extract.

5. (Cancelled).

6. (New) The method of claim 4, wherein:

the crude drug is da zao (*Zizyphus jujuba* Miller var. *inermis* Rehder) extract, and
the da zao (*Zizyphus jujuba* Miller var. *inermis* Rehder) extract is present in the amount of 0.0001 to 20.0 by mass % as a dry substance based on a total weight of the composition.

7. (New) The method of claim 4, wherein:

the crude drug is ginseng (*Panax ginseng* C. A. Meyer) extract, and
the ginseng (*Panax ginseng* C. A. Meyer) extract is present in the amount of 0.0001 to 20.0 by mass % as a dry substance based on a total weight of the composition.

8. (New) The method of claim 4, wherein:

the crude drug is roman chamomile (*Anthemis nobilis* Linne) extract, and
the roman chamomile (*Anthemis nobilis* Linne) extract is present in the amount of 0.0001 to 20.0 by mass % as a dry substance based on a total weight of the composition.

9. (New) The method of claim 4, wherein:

the crude drug is chlorella (*Chlorella vulgaris* Chick) extract, and

the chlorella (*Chlorella vulgaris* Chick) extract is present in the amount of 0.0001 to 20.0 by mass % as a dry substance based on a total weight of the composition.

10. (New) The method of claim 4, wherein:

the crude drug is coicis semen (*Coix lacryma-jobi* Linne var. *ma-yuen* Stapf) extract, and

the coicis semen (*Coix lacryma-jobi* Linne var. *ma-yuen* Stapf) extract is present in the amount of 0.0001 to 20.0 by mass % as a dry substance based on a total weight of the composition.

11. (New) The method of claim 4, wherein:

the crude drug is silk (*Bombyx mori* Linnaeus), and

the silk (*Bombyx mori* Linnaeus) is present in the amount of 0.0001 to 20.0 by mass % as a dry substance based on a total weight of the composition.

12. (New) A method of inhibiting wrinkles caused by photoaging in a subject in need thereof, comprising the step of applying onto the skin a composition comprising one or a plurality of crude drugs selected from the group consisting of da zao (*Zizyphus jujuba* Miller var. *inermis* Rehder) extract, ginseng (*Panax ginseng* C. A. Meyer) extract, roman chamomile (*Anthemis nobilis* Linne) extract, chlorella (*Chlorella vulgaris* Chick) extract, coicis semen (*Coix lacryma-jobi* Linne var. *ma-yuen* Stapf) extract, and silk (*Bombyx mori* Linnaeus) extract.

13. (New) The method of claim 12, wherein:

the crude drug is da zao (*Zizyphus jujuba* Miller var. *inermis* Rehder) extract, and

the da zao (*Zizyphus jujuba* Miller var. *inermis* Rehder) extract is present in the amount of 0.0001 to 20.0 by mass % as a dry substance based on a total weight of the composition.

14. (New) The method of claim 12, wherein:

the crude drug is ginseng (*Panax ginseng* C. A. Meyer) extract, and
the ginseng (*Panax ginseng* C. A. Meyer) extract is present in the amount of 0.0001 to 20.0 by mass % as a dry substance based on a total weight of the composition.

15. (New) The method of claim 12, wherein:

the crude drug is roman chamomile (*Anthemis nobilis* Linne) extract, and
the roman chamomile (*Anthemis nobilis* Linne) extract is present in the amount of 0.0001 to 20.0 by mass % as a dry substance based on a total weight of the composition.

16. (New) The method of claim 12, wherein:

the crude drug chlorella (*Chlorella vulgaris* Chick) extract, and
the chlorella (*Chlorella vulgaris* Chick) extract is present in the amount of 0.0001 to 20.0 by mass % as a dry substance based on a total weight of the composition.

17. (New) The method of claim 12, wherein:

the crude drug is coicis semen (*Coix lacryma-jobi* Linne var. *ma-yuen* Stapf) extract,
and
the coicis semen (*Coix lacryma-jobi* Linne var. *ma-yuen* Stapf) extract is present in the amount of 0.0001 to 20.0 by mass % as a dry substance based on a total weight of the composition.

18. (New) The method of claim 12, wherein:

the crude drug is silk (*Bombyx mori* Linnaeus), and
the silk (*Bombyx mori* Linnaeus) is present in the amount of 0.0001 to 20.0 by mass % as a dry substance based on a total weight of the composition.